



DEVELOPMENT SERVICES CENTER  
PUBLIC WORKS DEPARTMENT  
17575 PEAK AVENUE  
MORGAN HILL, CA 95037-5301  
ENGINEERING: 408-778-6480  
FAX: 408-779-7236  
WWW.MORGANHILL.CA.GOV

**ADDENDUM NO. 2**

**DATE: May 31, 2018**  
**TO: ALL PLAN HOLDERS OF THE:**  
**2018 PAVEMENT RESURFACING PROJECT**  
**FROM: LYNETTE KONG – CITY OF MORGAN HILL** *LY*  
**SUBJECT: CHANGE**

**1) Under Technical Specifications, Section 16.00b., “Crack Seal - Material”:**

- I. **REPLACE:** “...Koch Material Co. Flex-A-Fill or approved equal. Material shall be applied at a temperature between 350 and 400 degrees Fahrenheit...”
- WITH:** “...type 3 crack treatment material complying with the requirements of Section 37-5, “Crack Treatment”, of the Caltrans Standard Specifications. The material shall be heated and applied in accordance with the manufacturer’s instructions.”

Attachments: None.

**ADDENDUM ACKNOWLEDGMENT**

Bidder acknowledges receipt of this addendum, which shall be attached to the proposal.

\_\_\_\_\_  
Contractor’s Representative

\_\_\_\_\_  
Date

**THIS DOCUMENT AND THE ATTACHMENTS SHALL BECOME PART OF THE  
PROJECTS SPECIFICATION**